



FE4100TN S/S Four Door Bench Fridge 511L

Quick Overview

- One Level of Shelving Plus Floor
- Elitec Digital Temp. Control & Read-Out
- 304 Stainless Steel Interior & Exterior
- Fan-Forced Evaporator Cooling
- CFC Free Refrigerant and Foam
- AISI 304 Stainless Steel Framework Construction
- Electronic Thermostat and Digital LED Temperature Display for Accurate Control and Easy Reading
- Auto Defrosting and Auto Evaporation of Condensation Water
- Magnetic Gaskets Can Be Replaced without Any Tools
- Bottom with Round Edges for Easy Cleaning
- Capacity 511 ltr



URL: <https://www.foodequipment.com.au/media/catalog/product/f/e/fe4100tn-bench-fridge.jpg>

Description

S/S Four Door Bench Fridge 511L - FE4100TN

FE4100TN is a larger four door commercial workbench fridge packing several features, with a capacity of 511 litres and dimensions set at 2230x600x860mm.

The interior is chilled, meaning you can store stock and ingredients for later use. You can also store kitchen tools inside as well.

This classic workbench fridge is built with a stainless-steel interior and exterior, electronic thermostat, auto defrost and fan-forced evaporator cooling.

Pick up one of FE's most reliable workbench fridges today!

Refrigerated: -2 to 8 ° C

Capacity: 511 Litres

Commercial Bench Fridge

- One Level of Shelving Plus Floor
- Elitec Digital Temp. Control & Read-Out
- 304 Stainless Steel Interior & Exterior
- Fan-Forced Evaporator Cooling
- CFC Free Refrigerant and Foam
- AISI 304 Stainless Steel Framework Construction
- Electronic Thermostat and Digital LED Temperature Display for Accurate Control and Easy Reading
- Auto Defrosting and Auto Evaporation of Condensation Water
- Magnetic Gaskets Can Be Replaced without Any Tools
- Bottom with Round Edges for Easy Cleaning
- Capacity 511 Itr

* Interior: 1665x480x560mm

* Exterior: 2230x600x860mm

Â

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	0
Width (mm)	2230
Depth (mm)	600
Height (mm)	860
Packing Width (mm)	640
Packing Depth (mm)	2260
Packing Height (mm)	920
Power	230V