



URL: [https://www.foodequipment.com.au/media/catalog/product/g/n/gn2100tng\\_5.jpg](https://www.foodequipment.com.au/media/catalog/product/g/n/gn2100tng_5.jpg)

## GN2100TNG - 2 Glass Door Gastronorm Bench Fridge

### Quick Overview

- One Level Of Shelving Plus Floor
- Secop Compressors
- German Æ&#x8B;bm-Pabst Fans
- Italian (Carel) Digital Temp. Controls & Read-Out
- Units Can Be Easily Slid Open For Cleaning & Maintenance
- Internal Corners Rounded For Hygiene & Easy Cleaning
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors
- Heated Door Frame
- 100mm Wall Clearance Required For Ventilation
- Castors
- Unit can be placed against the wall

### Description

GN2100TNG - 2 Glass Door Gastronorm Bench Fridge

Stainless Steel Interior & Exterior

Gastronorm

Matches Gn Series Bench Freezers

Refrigerated 2 to 8Å ° C

Ambient 32Å°c & 75% Rh

- One Level Of Shelving Plus Floor
- Secop Compressors
- German Æ&#x8B;bm-Pabst Fans
- Italian (Carel) Digital Temp. Controls & Read-Out
- Units Can Be Easily Slid Open For Cleaning & Maintenance
- Internal Corners Rounded For Hygiene & Easy Cleaning

- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors
- Heated Door Frame
- 100mm Wall Clearance Required For Ventilation
- Castors
- Capacity 313 ltr
- Unit can be placed against the wall

\* Gal Metal Back

Â

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

---

Net Weight (Kg)	98
Width (mm)	1360
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	740
Packing Depth (mm)	1380
Packing Height (mm)	920
Power	240V; 370W