



## Glass Door Workbench Fridge - TL1200TNG

### Quick Overview



- Fridge -2 to +8°C
- Glass Door fridge Ambient 35°C
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

URL: [https://www.foodequipment.com.au/media/catalog/product/tl1200tng-workbench-fridge\\_castor.jpg](https://www.foodequipment.com.au/media/catalog/product/tl1200tng-workbench-fridge_castor.jpg)

### Description

700 Series

Stainless steel double glass door fridge  
Refrigerated &#x80; -2 to +8Â ° C

Double Glass Door - 260 Litre

Features:

- Fridge -2 to +8Â°C
- Glass Door fridge Ambient 35Â°C
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

Dimension:Â 1200mmWÃ&#x97;700DÃ&#x97;850H;

Ambient / RH%: 35/60

Power: 240V; 240W; 10A outlet required

Â

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

---

Net Weight (Kg)	130
Width (mm)	1200
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	730
Packing Depth (mm)	1240
Packing Height (mm)	900
Power	240V; 240W; 10A Outlet Required