



SCRF15 Bonvue Square Drop-in Chilled Display Cabinets SC Series

Quick Overview

- Model:SCRF15
- 1500mmW—650D—920H
- Advanced design
- Stainless Steel
- Double glazed front
- Minimal footprint
- LED lighting in chilled model
- Self evaporating drainage
- Digital temp. control & read-out
- Sliding front and rear glass doors
- Danfoss compressor
- German EBM Fan
- easy to clean

URL: <https://www.foodequipment.com.au/media/catalog/product/c/h/chilled-display-cabinet-scrf15.jpg>

Description

Show off your goods in this sleek modern display With LED lighting your food will shine

Â

- Advanced design
- Stainless Steel
- Double glazed front
- Minimal footprint
- LED lighting in chilled model
- Self evaporating drainage
- Digital temp. control & read-out
- Sliding front and rear glass doors
- Danfoss compressor
- German EBM Fan
- Easy to clean

Â

REFRIGERATED €ç 2 to 8Â ° CÂ

Code	Dimensions	Weight	Power
SCRF9	900mmW—650D—920H	132g	240V; 720W
SCRF12	1200mmW—650D—920H	185kg	240V; 930W

SCRF15	97;920H 1500mmWÃ—650DÃ—920H;	210kg	240V; 1.05kW
SCRF18	1800mmWÃ—650DÃ—920H	249kg	240V; 1.24kW

Â

HEATED â€¸ 30 to 85Â°C

Code	Dimensions	Weight	Power
SCHT9	900mmWÃ—650DÃ—920H	173kg	240V; 1.17kW
SCHT12	1200mmWÃ—650DÃ—920H	185kg	240V; 1.47kW

Â

*Hot food holding cabinets only, not designed to heat product

Â

*240V:10A outlets required for the above

Â

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	210
Width (mm)	650
Depth (mm)	1500
Height (mm)	900+290
Packing Width (mm)	650
Packing Depth (mm)	1500
Packing Height (mm)	1220
Power	1050W; 10A