



## Stainless Steel Triple Door Workbench Fridge - TS1800TN-3D

### Quick Overview



- Fridge -2 to +8°C
- Solid Door fridge
- Ambient/RH%: 43/40
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

URL: <https://www.foodequipment.com.au/media/catalog/product/3/-/3-door-workbench-freezer-tl1800tn-3d.jpg>

### Description

Stainless Steel Triple Door Workbench Fridge - TS1800TN-3D

FRIDGE -2 to +8 ° C

S/S Triple Door - 318Litre

#### Features:

- Fridge -2 to +8°C
- Solid Door fridge
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors
- Optional splashback

Dimension: 1800mmW x 600D x 850H;

Ambient / RH%: 43/40

Power: 240V; 250W; 10A outlet required

Â

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	103
Width (mm)	1800
Depth (mm)	600
Height (mm)	850
Packing Width (mm)	1840
Packing Depth (mm)	630
Packing Height (mm)	900
Power	240V; 250W; 10A