



## Stainless Steel Triple Glass Door Workbench Fridge - TL1800TNG-3D

### Quick Overview



- Fridge -2 to +8°C
- Glass Door fridge
- Ambient/RH%: 35/60
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors

URL: [https://www.foodequipment.com.au/media/catalog/product/t/tl1800tng-3d-workbench-fridge\\_1.jpg](https://www.foodequipment.com.au/media/catalog/product/t/tl1800tng-3d-workbench-fridge_1.jpg)

### Description

Stainless Steel Triple Glass Door Workbench Fridge - TL1800TNG-3D

FRIDGE -2 to +8 ° C

S/S Triple Glass Door - 417Litre

Features:

- Fridge -2 to +8°C
- Glass Door fridge
- Fan-forced evaporator cooling
- Auto defrost
- Comes with internal LED lights
- Self-evaporating drainage
- Insulation is CFC & HCFC free
- Internal corners constructed for easy cleaning
- 100mm wall clearance required for ventilation
- Castors
- Optional splashback

Dimension: 1800mmW x 700D x 850H;

Ambient / RH%: 35/60

Power: 240V; 320W; 10A

•

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

---

Net Weight (Kg)	113
Width (mm)	1800
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	1840
Packing Depth (mm)	730
Packing Height (mm)	900
Power	240V; 320W; 10A