



## URL: https://www.foodequipment.com.au/media/catalog/product/c/p/cpwk008-26-drink-dispenser.jpg Description

## CPWK008-26 Insulated Drink Dispenser

**Quick Overview** 

• 7.5 Litre with Spigot

7.5 Litre Insulated Drink Dispenser with Spigot - CPWK008-26

Exterior: 400mmW × 280D × 430H Interior: 300mmW × 180D × 200H

Made from high quality long-life

Food Grade Polyethylene (PE)

- Alkaline resistant
- Shock resistant
- Safe use range -40°C to 80°C
- Easy to clean
- Double thickness PE structure filled with polyurethane foam
- Door gaskets to minimise heat/cold loss
- Pessure relief valve for easy opening

Our carriers are attractive, durable, practically unbreakable & will leave no taste or odour in foods

1

| 12 Months Parts only Warranty |   |
|-------------------------------|---|
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               |   |
|                               | 2 |

## Your Shipping Specifications

| Net Weight (Kg)     | 3.6 |
|---------------------|-----|
| Width (mm)          | 400 |
| Depth (mm)          | 280 |
| Height (mm)         | 430 |
| Packing Width (mm)  | 290 |
| Packing Depth (mm)  | 510 |
| Packing Height (mm) | 440 |
| Power               | 0   |