



## Dito Sama Combined cutter and vegetable slicer - 7 LT - VARIABLE SPEED - TRK70

### Quick Overview

Combined cutter/vegetable slicer, variable speed 300 to 3700 rpm. Supplied with 7 Lt stainless steel cutter bowl and lever operated feed hopper

- Performance (up to): 550 - kg/hour
- Capacity: 7liter

URL: <https://www.foodequipment.com.au/media/catalog/product/t/r/trk70.jpg>

### Description

#### TRK70 CUTTER SLICER - 7 LT - VARIABLE SPEED

- Performance (up to): 550 - kg/hour
- Capacity: 7 liter
- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incl system to incline motor base at 20 ° to better fit the vegetable slicer attachment.
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit pre cutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- Red OFF, green ON buttons.
- Pulse function to coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Delivered with: [-] Stainless steel lever operated feed hopper [-] 7 Lt stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor
- Capacity: [-] vegetable slicer productivity 500 kg/h, suitable for 100-400 meals for table service, up to 800 meals for catering service [-] cutter mixer working capacity from 150 g to 3.5 kg, for 50-150 meals per service
- All blades (available on request) are made in stainless steel and dishwasher safe.
- Water protected planetary system (IP55 electrical controls, IP23 overall machine).
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids (75% of the nominal capacity).
- Feeding arm and hopper are made entirely in stainless steel. Aluminum motor housing.
- Vegetable cutting at 4 speeds up to 800 rpm. Food processing at 10 variable speeds: 300-3700 rpm.
- IP24 throughout entire machine.
- Power: TRK70 - 1.3 HP.
- IPX5 (IP55) flat panel touch-control, waterproof panel.
- Compact and portable design.

2 Years Return to Base Warranty

Your Shipping Specifications

---

Net Weight (Kg)	31
Width (mm)	252
Depth (mm)	485
Height (mm)	530
Packing Width (mm)	530
Packing Depth (mm)	500
Packing Height (mm)	260
Power	200-240 V/1N ph/50/60 Hz 1.3 kW