



URL: <https://www.foodequipment.com.au/media/catalog/product/w/b/wb6-1800a-stainless-steel-workbench.jpg>

## WB6-1800/A Stainless Steel Workbench

### Quick Overview

All Stainless Steel Flat Workbench with solid undershelf - WB6-1800/A

1800mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required

OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

• 600 mm deep × 900 mm high

• Specially designed for quick & simple assembly

• Comes with instruction manual & tools

• Supplied flat-packed for ease of transport

• 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs

• Locking drawers available\*

Legs

• 1.2 mm S/S; 42 mm Ø

• Fully adjustable S/S polished disc feet that match the legs perfectly

• Castor kits available (lockable)

Benchtops

• 1.2 mm material; SUS304 (18/8)

• Lined with XPS board, 20 mm thick & S/S panel

• Special S/S channel reinforcements under

- As the bench size increases so does the number of channels

Undershelves

• Height of shelf is fully adjustable, also an extra shelf can be added

• Special channel reinforcements under to suit the bench type & size, and as the bench size increases so does the channel width; S/S 1.2 mm thick

### Description

All Stainless Steel Flat Workbench with solid undershelf - WB6-1800/A

1800mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required

OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

• 600 mm deep × 900 mm high

• Specially designed for quick & simple assembly

• Comes with instruction manual & tools

• Supplied flat-packed for ease of transport

• 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs

• Locking drawers available\*

Legs

• 1.2 mm S/S; 42 mm Ø

• Fully adjustable S/S polished disc feet that match the legs perfectly

• Castor kits available (lockable)

Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
- As the bench size increases so does the number of channels

#### Undershelves

- Height of shelf is fully adjustable, also an extra shelf can be added
- Special ' U ' channel reinforcements under to suit the bench type & size, and as the bench size increases so does the ' U ' channel width; S/S 1.2 mm thick

2 Years Parts only Warranty

Your Shipping Specifications

---

Net Weight (Kg)	0
Width (mm)	1800
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	670
Packing Depth (mm)	1870
Packing Height (mm)	185
Power	0